PROFESSIONAL MEASURING
SINCE 1844

KERN


Product brochure

30.10.2026

SAUTER CP 100-3P2

Single-point load cell made of aluminium

ENGLISH



CONTACT

KERN & SOHN GmbH
Ziegelei 1
72336 Balingen
Germany

+49 7433 9933-0
info@kern-sohn.com
www.kern-sohn.com

FEATURES

- Suitable for price computing scales, bench scales etc.
- Maximum platform size 400×400 mm

MAIN SCOPE OF APPLICATIONS

- Industry and manufacturing
- Packaging industry
- Food industry and pharmaceuticals
- Mechanical engineering and plant construction
- Research and development

PICTOGRAMS

Standard



Option



MODEL OVERVIEW

Model	Weighing capacity [Max]
CP 100-3P2	100 kg
CP 150-3P2	150 kg
CP 200-3P2	200 kg
CP 300-3P2	300 kg
CP 400-3P2	400 kg
CP 500-3P2	500 kg

ACCESSORIES

Model	Description
CJ P2	Junctionbox CJ P2, Number of connection options: 2, aluminium,
CJ P4	Junctionbox CJ P4, Number of connection options: 4, aluminium, IP65
CJ P4PG	Junctionbox CJ P4PG, Number of connection options: 4, aluminium,
CJ X467	Junctionbox CJ X467, Number of connection options: 4, stainless steel,

Model	Description
CJ X468	Junctionbox CJ X468, Number of connection options: 4, aluminium,
YKV-01	Digital weighing transmitter YKV-01
YKV-02	Digital weighing transmitter YKV-02

SERVICES

Model	Description
965-412	Assembly of components 965-412 (> 50 kg - 350 kg)
970-011	Warranty extension (+3 years) 970-011

KERN Pictogram Overview

	Protection against dust and water splashes IP65
	Package shipment by courier service: The duration of internal product provision is one day
	Factory calibration (ISO): Factory calibration takes 4 working days
	Accredited calibration (DKD): The duration of the accredited calibration is 3 working days