PROFESSIONAL MEASURING
SINCE 1844

KERN

Product brochure

31.10.2026

SAUTER CP 100-3P3

Single-point load cell made of anodised aluminium

ENGLISH



CONTACT

KERN & SOHN GmbH
Ziegelei 1
72336 Balingen
Germany

+49 7433 9933-0
info@kern-sohn.com
www.kern-sohn.com

FEATURES

- Suitable for price-computing scales, bench scales, platform scales, etc.
- Maximum platform size 350×400 mm

MAIN SCOPE OF APPLICATIONS

- Industry and manufacturing
- Packaging industry
- Food industry and pharmaceuticals
- Mechanical engineering and plant construction
- Research and development

PICTOGRAMS

Standard



Option



MODEL OVERVIEW

Model	Weighing capacity [Max]
CP 20-3P3	30 kg
CP 30-3P3	30 kg
CP 40-3P3	40 kg
CP 50-3P3	50 kg
CP 75-3P3	75 kg
CP 100-3P3	100 kg

ACCESSORIES

Model	Description
CJ P2	Junctionbox CJ P2, Number of connection options: 2, aluminium,
CJ P4	Junctionbox CJ P4, Number of connection options: 4, aluminium, IP65
CJ P4PG	Junctionbox CJ P4PG, Number of connection options: 4, aluminium,
CJ X467	Junctionbox CJ X467, Number of connection options: 4, stainless steel,

ENGLISH

Model	Description
CJ X468	Junctionbox CJ X468, Number of connection options: 4, aluminium,
YKV-01	Digital weighing transmitter YKV-01
YKV-02	Digital weighing transmitter YKV-02

SERVICES

Model	Description
965-412	Assembly of components 965-412 (> 50 kg - 350 kg)
970-011	Warranty extension (+3 years) 970-011

KERN Pictogram Overview

	Protection against dust and water splashes IP65
	Package shipment by courier service: The duration of internal product provision is one day
	Factory calibration (ISO): Factory calibration takes 4 working days
	Accredited calibration (DKD): The duration of the accredited calibration is 3 working days

ENGLISH