PROFESSIONAL MEASURING
SINCE 1844

KERN

Product brochure

30.10.2026

SAUTER CT 5000-3P2

Shear beam made from nickel-plated steel

ENGLISH



CONTACT

KERN & SOHN GmbH
Ziegelei 1
72336 Balingen
Germany

+49 7433 9933-0
info@kern-sohn.com
www.kern-sohn.com

APPLICATION EXAMPLE



FEATURES

- Area of application: Mass as well as compressive force measurement in harsh environmental conditions
- Suitable for platform scales, weigh hoppers, flush-mounted floor scales and other weighing devices
- Delivery with calibrated sensitivity, when ordering several cells

MAIN SCOPE OF APPLICATIONS

- Industry and manufacturing
- Chemical industry
- Food industry and pharmaceuticals
- Building materials industry
- Logistics and packaging

PICTOGRAMS

Standard



Option



MODEL OVERVIEW

Model	Weighing capacity [Max]
CT 500-3P2	500 kg
CT 1000-3P2	1000 kg
CT 3000-3P2	3000 kg
CT 5000-3P2	5000 kg
CT 10000-3P2	10000 kg

ENGLISH

ACCESSORIES

Model	Description
CE P2018	Adjustable base foot CE P2018
CE P3015	Distance CE P3015
CJ P2	Junctionbox CJ P2, Number of connection options: 2, aluminium,
CJ P4	Junctionbox CJ P4, Number of connection options: 4, aluminium, IP65
CJ P4PG	Junctionbox CJ P4PG, Number of connection options: 4, aluminium,
CJ X467	Junctionbox CJ X467, Number of connection options: 4, stainless steel,
CJ X468	Junctionbox CJ X468, Number of connection options: 4, aluminium,

SERVICES

Model	Description
961-265V	Factory calibration certificate 961-265V (compression | mV/V)
970-012	Warranty extension (+2 years) 970-012

KERN Pictogram Overview

	Protection against dust and water splashes IP67
	Conformity assessment: The duration of the conformity assessment is 3 working days
	Package shipment by courier service: The duration of internal product provision is one day
	Factory calibration (ISO): Factory calibration takes 4 working days

ENGLISH