PROFESSIONAL MEASURING
SINCE 1844

KERN

Product brochure

30.10.2026

KERN OBE 124

Elegant, dynamic and impressive - the all-round compound microscope for schools, training and laboratories

ENGLISH



CONTACT

KERN & SOHN GmbH
Ziegelei 1
72336 Balingen
Germany

+49 7433 9933-0
info@kern-sohn.com
www.kern-sohn.com



ENGLISH

FEATURES

- The KERN OBE 124 stands out through its exclusive, dynamic device, which is second to none in terms of sturdy construction and ergonomics. The clever storage compartment on the back will enables quick practical storage for your power cable. Thanks to the USB connection technology, it is also possible to supply power using an external powerbank
- The impressive, infinitely dimmable 3W LED guarantees bright illumination of your sample
- A further highlight is the butterfly lens barrel which enables you to achieve the ideal viewing angle and is integrated as standard on all binocular and trinocular models. The height-adjustable and thereby focusable 1.25 Abbe condenser with aperture diaphragm is a further quality feature of the OBE range and guarantees the very best concentration of light
- Height adjustment of the fully-equipped mechnical stage is carried out using a coarse and fine focusing knob on bothsides. The ergonomically designed coaxial drive enables you to work with the samples and move them rapidly
- A large selection of different eyepieces and objectives are available to you as accessories
- A protective dust cover, eye cups, as well as multi-lingual user instructions are included in the scope of delivery

MAIN SCOPE OF APPLICATIONS

- sediment investigation
- Training centres
- Universities

APPLICATIONS AND SAMPLES

- Translucent, thin, high-contrast, less complex samples (e.g. plant tissue, coloured cells/ parasites)

TECHNICAL DATA

- Optical system: Finite
- 4-fold objective revolving unit
- Butterfly 30° inclined
- Diopter adjustment, one-sided
- Overall dimensions W×D×H 360×150×320 mm
- Net weight approx. 4,6 kg

PLEASE NOTE FOR YOUR ORDER

- A C-mount adapter is required to connect a camera (see accessories)

PICTOGRAMS

Standard



Option



MODEL OVERVIEW

Model	Tube	Eyepiece	Objective quality	Objectives	Illumination (transmitted)
OBE 121	Monocular	HWF 10x/ Ø 18 mm	achromatic	4× / 10× / 40×	3 W-LED
OBE 122	Binocular	HWF 10x/ Ø 18 mm	achromatic	4× / 10× / 40×	3 W-LED
OBE 124	Trinocular	HWF 10x/ Ø 18 mm	achromatic	4× / 10× / 40×	3 W-LED

ACCESSORIES

Model	Description
OBB-A1109	Achromatic objective, 100x /1,25 (oil) (sprung) W.D. (0,07 mm) OBB-A1109
OBB-A1110	Achromatic objective, 20x /0,4 (sprung) W.D. (1,75 mm) OBB-A1110
OBB-A1113	Achromatic objective, 60x /0,85 (sprung) W.D. (0,1 mm) OBB-A1113
OBB-A1137	Microscope Camera Adapter OBB-A1137 (0,5x)
OBB-A1139	Microscope Camera Adapter OBB-A1139 (1x)
OBB-A1148	Darkfield application OBB-A1148 (4×–40×)
OBB-A1184	Grey filter OBB-A1184
OBB-A1238	Objective 10x (Plan achromatic) OBB-A1238
OBB-A1239	Objective 100x (Plan achromatic) OBB-A1239
OBB-A1249	Objective 20x (Plan achromatic) OBB-A1249
OBB-A1255	Objective 4x (Plan achromatic) OBB-A1255
OBB-A1256	Objective 40x (Plan achromatic) OBB-A1256
OBB-A1269	Objective 60x (Plan achromatic) OBB-A1269
OBB-A1347	Eyepiece OBB-A1347 (Ø 23,2 mm | WF 10x | Ø 18 mm)
OBB-A1348	Eyepiece OBB-A1348 (Ø 23,2 mm | HWF 10x | Ø 18 mm)
OBB-A1349	Eyepiece OBB-A1349 (Ø 23,2 mm | HWF 10x | Ø 18 mm | with scale 0,1 mm)

Model	Description
OBB-A1354	Eyepiece OBB-A1354 (Ø 23,2 mm | WF 16x | Ø 13 mm)
OBB-A1387	Protective dust cover OBB-A1387 (485×450 mm)
OBB-A1441	Achromatic objective, 100x, Plan /1 (water) (sprung) W.D. (0,18 mm) OBB-A1441
OBB-A1466	Blue filter OBB-A1466
OBB-A1467	Green filter OBB-A1467
OBB-A1468	Yellow filter OBB-A1468
OCS-A1101	Cleaning liquid OCS-A1101
OCS 901	Cleaning set for microscopes OCS 901
ODC 241	Tablet microscope camera ODC 241 (5 MP, WiFi, USB 2.0, MicroSD, Wireless data transfer, HDMI Micro)
ODC 251	Tablet microscope camera ODC 251 (8 MP 4 K, Ethernet, WiFi, USB 2.0, USB 3.0, HDMI, Wireless data transfer)
ODC 825	Microscope camera ODC 825 (5,1 MP, USB 2.0)
ODC 832	Microscope camera ODC 832 (5,1 MP, USB 3.0)
ODC 841	Microscope camera ODC 841 (Sony CMOS, 1", USB 3.0)
ODC 854	Microscope camera ODC 854 (8 MP 4 K, USB 2.0, USB 3.0, HDMI)

KERN Pictogram Overview

	Trinocular Microscope: For the inspection with both eyes and the additional option for the connection of a camera
	Abbe Condenser: With high numerical aperture for the concentration and the focusing of light
	LED illumination: Cold, energy saving and especially long-life illumination
	Plug-in power supply: 230V/50Hz in standard version for EU, CH. On request GB, USA or AUS version available
	Package shipment by courier service: The duration of internal product provision is one day
	Darkfield condenser/unit: For a higher contrast due to indirect illumination
	Length measurement: Integrated scale in the eyepiece

ENGLISH