

KERN OBN 158

Professionalism and versatility united in one microscope – with Koehler illumination for demanding applications



Category

Brand	Optics
Product category	Microscope
Product group	Compound microscope
Product family	OBN-15

Construction

Dimension (W×D×H)	390×200×400 mm
Optical system	Infinity
Tube type	Trinocular
Tube angle of inclination	30°
Tube 360° rotation	✓
Tube type	Siedentopf
Light distribution	0:100 80:20

Contrasting methods	Bright field
	Darkfield (optional)
	Phase contrast
	Polarisation (optional)
	Fluorescent (optinal)

Standard objectives	4×
	PH 10×
	PH 20×
	PH 40×
	PH 100×

Lens quality	Infinity Plan
Nosepiece screw-in locations	5
Interpupillary distance [Min]	50 mm
Interpupillary distance [Max]	75 mm
Diopter adjustment	both-sided
Diopter adjustment [Min]	-5
Diopter adjustment [Max]	5

Ocular

Ocular type	Eyepiece HWF 10x / Ø 20mm with anti-fungus, high eye point
Ocular field width	HWF
Eye point	Standard
Ocular magnifications	10x
Ocular visual field	20 mm
Ocular diameter	23,2 mm

Objective

Objectives - Details	PH-Objective Infinity Plan 10x / 0,25 anti-fungus
	PH-Objective Infinity Plan 100x / 1,25 oil, anti-fungus
	PH-Objective Infinity Plan 20x / 0,45 spring, anti-fungus
	Objective Infinity Plan 4x / 0,11 anti-fungus
	PH-Objective Infinity Plan 40x / 0,65 spring, anti-fungus

Objectives magnifications	4x / 10x / 20x / 40x / 100x
---------------------------	-----------------------------

Illumination

Illuminance	Transmitted light
Illumination type transmitted light	Halogen
Illumination intensity transmitted light	20 W
Illumination dimmable	Transmitted light
Koehler illumination	✓
Filter possible	✓
Phase-contrast unit	Quintuple condenser wheel
Field diaphragm	✓
Brand of light bulb	Philips

Focussing

Field of view [Min]	0,2 mm
Field of view [Max]	5 mm
Torque regulation	✓
Fine drive minimum	0,002 mm
Focusing mechanism	coaxial coarse and fine drive

KERN OBN 158

KERN

Professionalism and versatility united in one microscope – with Koehler illumination for demanding applications

Condensor

Condensor type	PH universal rotary condenser
----------------	-------------------------------

Camera

Camera - Adapter type	C-Mount
-----------------------	---------

Power Supply

Supplied power supply	Power supply unit
Power supply type	Table power supply (separable)
Plug-in power supply / adapter for countries - included with the delivery	EURO
Plug-in power supply / adapter for countries - optional	EURO UK
Input voltage power supply / power [Max]	100 - 240 V 50 / 60 HZ 1,5
Power supply cable removable	removable
Input voltage device / power [Max]	12 V, 4 A
Power socket for mains adapter	Hollow plug, inside plus, Ø outside 5,5 mm, Ø inside 2,5 mm, long 9,5 mm

Environmental conditions

Storage temperature [Min]	-5 °C
Storage temperature [Max]	40 °C

Approval

CE mark	✓
---------	---

Packing & Shipping

Delivery time	1 d
Dimensions packaging (W×D×H)	535×370×270 mm
Shipping method	Parcel service
Net weight approx.	10 kg
Gross weight approx.	11 kg
Shipping weight	11 kg

Product information

GTIN/EAN number	4045761502734
Trade number	90118000
REACH classification	no prohibited substances

Pictograms

STANDARD



OPTION

