

KERN ORT 1RS

KERN

Measurement of refraction index for chemists, laboratories and industry



Measuring range Brix [Max]	95 %
Brix scale	✓
Area of application	Basic measurements for Brix and refractive index

Construction

Dimension (W×D×H)	180×90×240 mm
Refractometer type	Desktop refractometer
Scale - Display type	Analogue

Power Supply

Supplied power supply	Battery
Power supply cable removable	removable
Battery / accumulator type	Alkali(-Manganese)
Battery	1×LR44
Battery capacity	38 mAh
Battery voltage	3 V
Battery - Number of cells	1
Battery - Individual weight	1 g
Battery - Construction	Individual cells
Battery capacity (Wh)	0,114 Wh
Battery - Lithium content	300 mg
Battery - Tests passed UN 38.3	✓
Battery/Accu connected	fixed electrical connection, not insulated

Environmental conditions

Storage temperature [Min]	-5 °C
Storage temperature [Max]	40 °C

Approval

CE mark	✓
---------	---

Services (optional)

Article number for factory calibration	961-290
--	---------

Packing & Shipping

Delivery time	1 d
Dimensions packaging (W×D×H)	380×265×160 mm
Shipping method	Parcel service
Net weight approx.	1,8 kg
Gross weight approx.	2,4 kg
Shipping weight	3,2 kg

Product information

GTIN/EAN number	4045761476240
-----------------	---------------

Category

Brand	Optics
Product category	Refractometer
Product group	Abbe refractometer
Product family	ORT-1

Measuring System

Measurement temperature [Min] (°C)	20 °C
Measurement temperature [Max] (°C)	20 °C
Precision	0,0002 nD 0,1 %
Calibration block required	✓
Measuring method	Light refraction Total reflection
Measuring range Brix [Min]	0 %
Scales	Refractive index Brix
Measuring ranges	1,3000 nD - 1,7000 nD 0 % - 95 %
Readabilities [d]	0,0005 nD 0,25 %
Readout Brix	0,25 %
Accuracy Brix	±0,1 %
Measuring range refractive index [Min]	1,3000 nD
Measuring range refractive index [Max]	1,7000 nD
Readout refractive index	0,0005 nD
Accuracy refractive index	±0,0002 nD
Scale for Refractive index	✓
Appropriate calibration liquid	Alpha-bromonaphthalene

KERN ORT 1RS



Measurement of refraction index for chemists, laboratories and industry

Trade number 90275000
REACH classification no prohibited substances

Pictograms

STANDARD

