

# KERN PBJ 4200-2M

Multifunctional laboratory balance with single-cell weighing system



Display	
Display type	LCD
Display backlight	✓
Display digit height	14 mm

Construction	
Dimension housing (W×D×H)	209×322×78 mm
Dimensions weighing surface (W×D)	180×190 mm
Dimensions weighing surface	180×190 mm
Dimensions weighing platform (W×D×H)	170×180×5 mm
Material housing	cast aluminium
Material weighing plate	stainless steel
Material display housing	plastic
Level indicator	✓
Levelling feet adjustable	✓

Functions	
PreTare function	✓
Recipe/summing level	Rez A (Net total)
Percentage determination	✓
Dispensing function	✓
Density determination	✓
Tolerance weighing	✓
Tolerance weighing - type of signal	visual
Underfloor weighing	Hook (included in delivery)
Function for averaging under unstable weighing conditions	✓
Time display	✓
Capacity - Display	✓
Standby function	✓
Counting function	✓
Counting resolution (laboratory conditions)	420.000
Smallest piece weight when piece counting - laboratory conditions	10 mg
Smallest piece weight when piece counting - normal conditions	100 mg
Reference quantity	10, 25, 50, 100, n (any number of pieces)
Peak function	✓
Tare function	manual (multi)
Number of keys for operation	6

Interface	
Interfaces	RS-232 standard

Category	
Brand	KERN
Product category	Laboratory balance
Product group	Precision balance
Product family	PBJ

Measuring System	
Automatic adjustment - Standard temperature deviation	1 °C
Weighing system	Single-Cell
Weighing capacity [Max]	4200 g
Automatic adjustment - Standard time interval	4 h
Readability [d]	0,01 g
Reproducibility	0,01 g
Linearity	± 0,02 g
Minimum weight [Min]	0,5 g
Resolution	420.000
Adjustment options	Internal calibration (automatic)
Stabilization time	2,5 s
Warm-up time	4 h
Eccentric loading at 1/3 [Max]	0,05 g
Units (if device is conformity assessed)	kg g
USP Minimum weight of sample (k = 2, U = 0.1%)	20 g
Construction type of the scale	Single-range balance
Units	kg g
Maximum creep (15 minutes)	100 mg
Maximum creep (30 minutes)	200 mg
Default unit	g

# KERN PBJ 4200-2M

# KERN

Multifunctional laboratory balance with single-cell weighing system

## Power Supply

Supplied power supply	Power supply unit
Plug-in power supply / adapter for countries - included with the delivery	EURO
	UK
	US
	CH
Plug-in power supply / adapter for countries - optional	EURO
	AUS
	UK
	US
Input voltage power supply / power [Max]	100 V - 240 V AC, 50 / 60 Hz
	12 V DC, 1000 mA
Power socket for mains adapter	Hollow plug, inside minus, Ø outside 5,5 mm, Ø inside 2,1 mm, long 9,5 mm

## Environmental conditions

Ambient temperature [Min]	10 °C
Ambient temperature [Max]	30 °C
Humidity of environment [Max]	80 %
Storage temperature [Min]	-10 °C
Storage temperature [Max]	50 °C

## Approval

CE mark	✓
---------	---

## Services (optional)

Article number for DAkkS calibration	963-127
Article number for certificate of conformity	969-517

## Packing & Shipping


Delivery time	1 d
Dimensions packaging (W×D×H)	370×460×255 mm
Shipping method	Parcel service
Net weight approx.	5,0 kg
Gross weight approx.	7 kg
Shipping weight	8,7 kg

## Product information

GTIN/EAN number	4045761206816
REACH classification	no prohibited substances

## Pictograms

### STANDARD



### OPTION

